

WEST Search History

DATE: Tuesday, February 20, 2007

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
<i>DB=EPAB,DWPI; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L14	L12 and (subchannel\$ or (sub\$ adj channel\$))	0
<input type="checkbox"/>	L13	L12 and (self adj (contain\$ or describ\$ or defin\$))	0
<input type="checkbox"/>	L12	superchannel\$ or (super channel\$)	13
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L11	l3 same (subchannel\$ or (sub\$ adj channel\$))	2
<input type="checkbox"/>	L10	l3[ti,ab] and (subchannel\$ or (sub\$ adj channel\$))	0
<input type="checkbox"/>	L9	l3[ti,ab] and (subchannel\$ or (sub\$ adj channel\$))[ti,ab]	0
<input type="checkbox"/>	L8	l7 and l6	0
<input type="checkbox"/>	L7	l3 and (subchannel\$ or (sub\$ adj channel\$))	45
<input type="checkbox"/>	L6	709/236.ccls.	976
<input type="checkbox"/>	L5	L3 and (self adj (contain\$ or describ\$ or defin\$))	2
<input type="checkbox"/>	L4	L3 same (self adj (contain\$ or describ\$ or defin\$))	0
<input type="checkbox"/>	L3	superchannel\$ or (super channel\$)	99
<input type="checkbox"/>	L2	6094575[uref]	21
<input type="checkbox"/>	L1	6094575[PN]	1

END OF SEARCH HISTORY



(super-channel) (sub-channel)

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#) Results **1 - 10** of about **29** for **(super-channel) (sub-channel)**. (0.14 sec)
All ResultsDid you mean: (super-channel) (**subchannel**)[T Hunziker](#)[C Mutti](#)[D Dahlhaus](#)[T Jakobsen](#)[R Stedman](#)[\[PS\] Higher-order cryptanalysis of block ciphers - group of 8 »](#)

T Jakobsen - 1999 - teknikus.dk

Page 1. Higher-Order Cryptanalysis of Block Ciphers Ph.D. thesis Thomas Jakobsen
Department of Mathematics Technical University of Denmark 1999 Page 2. Page 3. ...[Cited by 7](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)[Survey on VoD Broadcasting Schemes - group of 2 »](#)

T Kameda, Y Sun - update, 2003 - cs.sfu.ca

... (This link may itself be a logical link, which is a **subchannel** of a **super channel**
which multiplexes multiple 2.048Mbps channels.) The bit stream on this link ...[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)[Rapid drying of sanitary structural goods](#)

BN Gak, NS Gavrilov - Glass and Ceramics, 1961 - Springer

... In the **superchannel** and **subchannel** space there are cross- sectional screens, which
allow us to combine groups of inlet and outlet holes of the drier with the ...[Web Search](#)[Bit and power loading procedures for OFDM systems with bit-interleaved
coded modulation](#)C Mutti, D Dahlhaus, T Hunziker, M Foresti - Telecommunications, 2003. ICT 2003. 10th
International ... - [ieeexplore.ieee.org](#)... variance U_j . As a consequence, the SNR for the k th **subchannel** equals $e_k \cdot k$ & ... As a
consequence of the ideal interleaving, the **superchannel** constituted by all the ...[Cited by 18](#) - [Related Articles](#) - [Web Search](#)[Adaptive Procedures for OFDM Systems with Bit-Interleaved Coded
Modulation - group of 2 »](#)C Mutti, D Dahlhaus, T Hunziker - Proceedings of the 2nd Workshop COST, 2003 -
[nari.ee.ethz.ch](#)... SNR for the h th **subchannel** equals $7 \cdot \log_2 p \cdot q \cdot d_{reg}$, where $h \cdot \log_2 p \cdot q \cdot d_{reg} \leq c$... As a consequence
of the ideal interleaving, the **superchannel** constituted by all the ...[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)[Optimal power adaptation for OFDM systems with ideal bit-interleaving and
hard-decision decoding - group of 2 »](#)T Hunziker, D Dahlhaus - Communications, 2003. ICC'03. IEEE International Conference ...,
2003 - [ieeexplore.ieee.org](#)... receiver may interpret the variations in the **sub-channel** power levels ... **subchannel**
are ... a consequence of the ideal interleaving, the **superchannel** constituted by ...[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)[Adaptive OFDM Transmission for Broadband Fixed Wireless Access Systems
- group of 2 »](#)

T Hunziker, D Dahlhaus - Proceedings of 6th International OFDM Workshop (InOWo), 2001 -



(super-channel) subchannel

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 29 for (super-channel) subchannel. (0.10 sec)
All Results[S Rao](#)[C Mutti](#)[T Hunziker](#)[R Wenk](#)[Hughes Electro...](#)

Method of ensuring bandwidth availability for non-page traffic in a communications systems - group of 3 »

RD Wenk - US Patent 5,625,629, 1997 - Google Patents

... The broadcast control channel has a Non-PCH **Subchannel** slot information element specifying

a number of Non-PCH **Subchannel** slots within the point-to-point control ...

Cited by 23 - [Related Articles](#) - [Web Search](#)

[PS] Higher-order cryptanalysis of block ciphers - group of 8 »

T Jakobsen - 1999 - teknikus.dk

Page 1. Higher-Order Cryptanalysis of Block Ciphers Ph.D. thesis Thomas Jakobsen

Department of Mathematics Technical University of Denmark 1999 Page 2. Page 3. ...

Cited by 7 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

TRACE-ORTHONORMAL FULL RATE FULL DIVERSITY LINEAR TRIANGULAR CYCLOTOMIC SPACE-TIME CODES MINIMIZING ...

JK Zhang, J Liu, KM Wong - Sensor Array Multichannel Signal Process. Workshop (SAM2004), 2004 - grads.ece.mcmaster.ca

... the received signal power of each symbol transmitted over **super-channel** matrix HF ... also evenly distribute the output noise power of each **subchannel** after being ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Bounds on mutual information for simple codes using information combining - group of 5 »

I Land, S Huettinger, PA Hoeher, J Huber - Annales des Télécommunications, 2005 - forskningsbasen.deff.dk

... for communication channels, but it may also be applied to the **super-channel** formed by ... denoted by $X \rightarrow Y | J = j$. Therefore, J is called the **subchannel** indicator ...

Cited by 4 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Survey on VoD Broadcasting Schemes - group of 2 »

T Kameda, Y Sun - update, 2003 - cs.sfu.ca

... (This link may itself be a logical link, which is a **subchannel** of a **super channel** which multiplexes multiple 2.048Mbps channels.) The bit stream on this link ...

Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Rapid drying of sanitary structural goods

BN Gak, NS Gavrilov - Glass and Ceramics, 1961 - Springer

... In the **superchannel** and **subchannel** space there are cross-sectional screens, which allow us to combine groups of inlet and outlet holes of the drier with the ...

[Web Search](#)

Bit and power loading procedures for OFDM systems with bit-interleaved coded modulation

C Mutti, D Dahlhaus, T Hunziker, M Foresti - Telecommunications, 2003. ICT 2003. 10th International ... - [ieeexplore.ieee.org](#)

... variance U_k . As a consequence, the SNR for the k th **subchannel** equals U_k/k ... As a



(super-channel) subchannel enable

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 7 of 7 for (super-channel) subchannel enable. (0.11 seconds)

All Results

[K Wittig](#)[J Zhang](#)[K Wong](#)[A Kavcic](#)
[Device for binary data transfer between a time-division multiplex and a memory - group of 2 »](#)

C Athenes, JC Audrix, B Louis-Gavet - US Patent 5,892,760, 1999 - Google Patents
 ... logic channel number which constitutes a **super-channel** including the ... bits) and bits VI to V8 **enable** the identification of the **sub-channel(s)** used in ...
[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[TRACE-ORTHONORMAL FULL RATE FULL DIVERSITY LINEAR TRIANGULAR CYCLOTOMIC SPACE-TIME CODES MINIMIZING ...](#)

JK Zhang, J Liu, KM Wong - Sensor Array Multichannel Signal Process. Workshop (SAM2004), 2004 - grads.ece.mcmaster.ca
 ... block designs [3], [4], [5], [6] **enable** full rate ... of each symbol transmitted over **super-channel** matrix HF ... the output noise power of each **subchannel** after being ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[CONVERTER FOR CATV](#)

K Wittig - US Patent 3,777,053 - Google Patents
 ... nected, or by means of the output of a punched card form received, known as **subchannel**,
 or on one of the ... OR gate 60 which is a word frame is used to **enable** an ...
[Cited by 18](#) - [Related Articles](#) - [Web Search](#)

[Multicarrier Modulation Techniques for Bandwidth Efficient Fixed Wireless Access Systems - group of 2 »](#)

T Hunziker - 2002 - e-collection.ethbib.ethz.ch
 ... To **enable** an interference-free demodulation the OFDM signal contains so-called guard ... For a given bandwidth, the signaling rate on each **subchannel** is much ...
[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Equal-diagonal QR decomposition and its application to precoder design for successive-cancellation ... - group of 5 »](#)

JK Zhang, A Kavcic, KM Wong - Information Theory, IEEE Transactions on, 2005 - ieeexplore.ieee.org
 ... b) The **superchannel** naturally exhibits an optimally ordered ... is equivalent to finding a **subchannel** whose SNR ... the apparatus that will **enable** this transformation. ...
[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

[Hydrogen peroxide production in microchannel reactors - group of 2 »](#)

ALY Tonkovich, B Yang, WAJR Rogers, PW Neagle, SP ... - 2005 - freepatentsonline.com
 ... [0187] A "**subchannel**" is a channel that is within a larger channel. Channels and subchannels are defined along their length by channel walls. ...
[Cached](#) - [Web Search](#)

[Mobile communication system and method with fast and slow control traffic](#)

GBUS ANDERSON, SUS GAVETTE, WDUS HETHERINGTON, ... - EP Patent 1,395,078, 2004 - freepatentsonline.com
 ... sequence of its encryption equipment. The base station 104 does not **enable**



(super-channel) subchannel flag

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 2 of 2 for (super-channel) subchannel flag. (0.15 seconds)

COMMUNICATION METHODS AND DEVICES PROVIDING DYNAMIC ALLOCATION OF RADIO RESOURCES

PW DENT - EP Patent 1,310,052, 2003 - freepatentsonline.com

... the frequency channel of the **subchannel**, where the ... 26 synchronization bits95, a second **flag** bit 96 ... Division Multiple Access wherein a **superchannel** bandwidth can ...

Cached - Web Search

Mobile communication system and method with fast and slow control traffic

GBUS ANDERSON, SUS GAVETTE, WDUS HETHERINGTON, ... - EP Patent 1,395,078, 2004 - freepatentsonline.com

... A field or **flag** in a header of an OTA information packet indicates to the receiving entity the usage of the B-field and the D-field for a given packet. ...

Cached - Web Search

(super-channel) subchannel flag

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google